According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	: Shell Omala S4 WE 680
Product code	: 001D7860

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Gear lubricant.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Contact for Safety Data Sheet	<ul> <li>: (+44) 08007318888</li> <li>:</li> <li>: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com</li> </ul>

1.4 Emergency telephone number

: +44 (0) 151 350 4595 (This telephone number is available 24 hours per day, 7 days per week)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word	:	No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022	SDS Number: 800001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
		Not class ENVIRO	HAZARDS: sified as a health hazard under CLP criteria. NMENTAL HAZARDS: sified as environmental hazard according to
Precautionary statements		: <b>Prevention:</b> No preca	autionary phrases.
		Response:	autionary phrases.
		Storage:	
		-	autionary phrases.
		Disposal:	
		No preca	autionary phrases.
Sens	sitising components		I Carboxylic Acid Derivative allergic reaction.

### 2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature	:	Blend of polyalkylene glycol and additives.
-----------------	---	---

### Components

			•
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Phenol, isopropylated, phosphate	68937-41-7	Repr. 2; H361	0.1 - 0.5
(3:1) [Triphenyl phosphate < 5%]	273-066-3	STOT RE 2; H373	
	01-2119535109-41	Aquatic Chronic 4;	
		H413	
(4-nonylphenoxy)acetic acid	3115-49-9	Acute Tox. 4; H302	0.01 - 0.09
	221-486-2	Skin Corr. 1B; H314	
	01-2119982392-31	Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022
			H410 M-Factor (Acute aquatic toxicity): 1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures				
Protection of first-aiders	When administering first aid, ensure that you are wearin appropriate personal protective equipment according to incident, injury and surroundings.			
If inhaled	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.			
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with ter and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>	h wa-		
In case of eye contact	<ul> <li>Flush eye with copious quantities of water.</li> <li>Remove contact lenses, if present and easy to do. Continising.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>	inue		
If swallowed	In general no treatment is necessary unless large quant are swallowed, however, get medical advice.	ities		
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	Oil acne/folliculitis signs and symptoms may include form of black pustules and spots on the skin of exposed areas Ingestion may result in nausea, vomiting and/or diarrhoe	s.		
4.3 Indication of any immediate m	edical attention and special treatment needed			
Treatment	Notes to doctor/physician: Treat symptomatically.			
SECTION 5: Firefighting measures				
5.1 Extinguishing media				
Suitable extinguishing media	Foam, water spray or fog. Dry chemical powder, carbon ide, sand or earth may be used for small fires only.	diox-		
Unsuitable extinguishing media	Do not use water in a jet.			

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting 5.3 Advice for firefighters	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
•		
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>6.1.1 For non emergency personnel: Avoid contact with skin and eyes.</li> <li>6.1.2 For emergency responders: Avoid contact with skin and eyes.</li> </ul>
6.2 Environmental precautions	
Environmental precautions :	: Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth

	Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

# **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	J	
	Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
	Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
	Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
	Hygiene measures	:	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
			Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.
	Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
	Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3	Specific end use(s) Specific use(s)		Not applicable
		•	· · · · · · · · · · · · · · · · · · ·

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version R 2.5 2

Revision Date: 21.09.2022

SDS Number: D 800001007206 P

Date of last issue: 03.03.2021 Print Date 27.09.2022

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**Biological occupational exposure limits** 

#### 8.2 Exposure controls

#### **Engineering measures**

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022	SDS Number: 800001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
		Gloves must or gloves, hands cation of a non For continuous through time of 480 minutes wi short-term/spla recognize that may not be ava time maybe ac and replaceme a good predicto dependent on to Glove thicknes	ne is a key element of effective hand care. hly be worn on clean hands. After using should be washed and dried thoroughly. Appli- -perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > here suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance nt regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is he exact composition of the glove material. s should be typically greater than 0.35 mm he glove make and model.
Skin	and body protection	work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Resp	iratory protection	conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal se. with good industrial hygiene practices, precau- taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)] 387 and EN143.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	Liquid at room temperature.
Colour	:	colourless
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
pour point	:	-39 °C Method: ISO 3016
Melting point/freezing point		Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Versio 2.5	on	Revision Date: 21.09.2022		S Number: 0001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
	nitial bo ange	iling point and boiling	:	> 280 °Cestimate	ed value(s)
F	Flamma	ability			
	Flam	mability (solid, gas)	:	Not applicable	
	Flam	nmability (liquids)	:	Not classified as	flammable but will burn.
L	Lower e	explosion limit and upp	er ex	xplosion limit / flam	nmability limit
		per explosion limit / per flammability limit	:	Typical 10 %(V)	
		wer explosion limit / wer flammability limit	:	Typical 1 %(V)	
F	-lash po	pint	:	262 °C Method: ISO 259	2
A	Auto-igr	nition temperature	:	> 320 °C	
C		oosition temperature omposition tempera-	:	Data not available	e
p	ъH		:	Not applicable	
١	Viscosit Visco	y osity, dynamic	:	Data not available	e
	Visco	osity, kinematic	:	664 mm2/s (40.0 Method: Unspeci	
				107 mm2/s (100 Method: Unspeci	
S	Solubilit Wate	y(ies) er solubility	:	Moderate	
	Solu	bility in other solvents	:	Data not available	e
	Partitior	n coefficient: n- water	:	log Pow: > 6 (based on inform	ation on similar products)
١	√apour	pressure	:	< 0.5 Pa (20 °C) estimated value(s	5)
F	Relative	edensity	:	1.070 (15 °C)	
C	Density		:	1,070 kg/m3 (15.	0 °C)

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Versior 2.5	n Revision Date: 21.09.2022	SDS Number: 800001007206		Date of last issue: 03.03.2021 Print Date 27.09.2022
		Me	ethod: ISO 121	85
Re	elative vapour density	: > ´ es	l timated value(	s)
9.2 Oth	ner information			
Ex	plosives	: Cla	assification Co	de: Not classified
O	kidizing properties	: Da	ita not availab	e
Fla	ammability (liquids)	: No	t classified as	flammable but will burn.
E٧	aporation rate	: Da	ita not availab	e
Co	onductivity	: Th	is material is r	not expected to be a static accumulator.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

#### 10.2 Chemical stability

#### Stable.

No hazardous reaction is expected when handled and stored according to provisions

### 10.3 Possibility of hazardous reactions

Hazardous reactions

: Reacts with strong oxidising agents.

## 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :	:	Skin and eye contact are the primary routes of exposure alt-
exposure		hough exposure may occur following accidental ingestion.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

ersion 2.5	Revision Date: 21.09.2022		DS Number: 00001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022	
Acute	e toxicity				
Prod	uct:				
Acute	e oral toxicity	:	LD50 (rat): > 5,00 Remarks: Based are not met. Low toxicity:	0 mg/kg on available data, the classification criteria	
Acute	inhalation toxicity	:	Remarks: Based on available data, the classification criteri are not met.		
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Based on available data, the classification criteria are not met. Low toxicity:		
Skin	corrosion/irritation				
Prod	uct:				
Rema	arks	<ul> <li>Based on available data, the classification criter Slightly irritating to skin.</li> <li>Prolonged or repeated skin contact without prop can clog the pores of the skin resulting in disord acne/folliculitis.</li> </ul>		o skin. eated skin contact without proper cleaning	
Serio	ous eye damage/eye irr	itati	ion		
Prod	uct:				
Rema	arks	:	Based on available data, the classification criteria are not met Slightly irritating to the eye.		
Resp	iratory or skin sensitis	satio	on		
<u>Prode</u> Rema		:		e data, the classification criteria are not met. d skin sensitisation:	
Com	ponents:				
(4-no	nylphenoxy)acetic aci	d:			
Rema	arks	:	May cause an alle	ergic skin reaction in sensitive individuals.	
Germ	cell mutagenicity				
Prod	uct:				
Geno	toxicity in vivo	:	Remarks: Based are not met. Non mutagenic	on available data, the classification criteria	

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022		DS Number: 00001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
	m cell mutagenicity- As- sment	:	This product does categories 1A/1B	s not meet the criteria for classification in
Car	cinogenicity			
Pro	duct:			
Ren	narks	:	Based on availab Not a carcinogen	le data, the classification criteria are not met.
Care mer	cinogenicity - Assess- It	:	This product does categories 1A/1B	s not meet the criteria for classification in

Material	GHS/CLP Carcinogenicity Classification
Phenol, isopropylated, phos- phate (3:1) [Triphenyl phos- phate < 5%]	No carcinogenicity classification.
(4-nonylphenoxy)acetic acid	No carcinogenicity classification.

## **Reproductive toxicity**

Product: Effects on fertility	:	Remarks: Based on available data, the classification criteria are not met., Not a developmental toxicant., Does not impair fertility.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
Aspiration toxicity		
Product:		

### Product:

Based on available data, the classification criteria are not met., Not an aspiration hazard.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

## 11.2 Information on other hazards

Further information		
Product:		
Remarks	:	Used oils may contain harmful impurities that have accumu- lated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible.
Remarks	:	Slightly irritating to respiratory system.
Remarks	:	Classifications by other authorities under varying regulatory frameworks may exist.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022		DS Number: 00001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
Cor	nponents:			
-	onylphenoxy)acetic act factor (Acute aquatic tox- )		1	
12.2 Per	sistence and degradabi	ility		
	<u>duct:</u> degradability	:		ily biodegradable. are inherently biodegradable, but contains com- ersist in the environment.
12.3 Bio	accumulative potential			
	duct: accumulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4 Mo	bility in soil			
	<b>duct:</b> pility	:	Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.	
12.5 Res	sults of PBT and vPvB a	asse	ssment	
	<u>duct:</u> essment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
	docrine disrupting prop data available	ertie	9S	
12.7 Oth	er adverse effects			
	<u>duct:</u> litional ecological infor- ion	:	tion potential or glo Product is a mixtur	ne depletion potential, photochemical ozone crea- obal warming potential. e of non-volatile components, which will not be ny significant quantities under normal conditions
			Poorly soluble mix Causes physical fo	ture. uling of aquatic organisms.
SECTIO	N 13: Disposal consi	der	ations	

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022	SDS Number: 800001007206	Date of last issue: 03.03.2021 Print Date 27.09.2022
Produc	ət	It is the resp toxicity and p determine th ods in compl Waste produ ground wate Do not dispo courses Do not dispo drain into the contaminatic Waste arisin posed of in a to a recognis collector or contamination MARPOL - s Pollution from	g from a spillage or tank cleaning should be dis- accordance with prevailing regulations, preferably sed collector or contractor. The competence of the contractor should be established beforehand. ee International Convention for the Prevention of n Ships (MARPOL 73/78) which provides tech-
Contar	minated packaging	Dispose in a to a recogniz the collector Disposal sho	at controlling pollutions from ships. ccordance with prevailing regulations, preferably ed collector or contractor. The competence of or contractor should be established beforehand. build be in accordance with applicable regional, l local laws and regulations.
Local I	egislation		
Waste	catalogue	: EU Waste D	isposal Code (EWC):
Waste	Code	: 13 02 06*	
Remai	rks	national, and	ould be in accordance with applicable regional, I local laws and regulations. In of waste is always the responsibility of the end

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version 2.5	Revision Date: 21.09.2022	SDS Number:Date of last issue: 03.03.2021800001007206Print Date 27.09.2022	
IMDG IATA 14.2 UN p		<ul><li>Not regulated as a dangerous good</li><li>Not regulated as a dangerous good</li></ul>	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	<b>`</b>	: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(es)		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO IATA		<ul><li>Not regulated as a dangerous good</li><li>Not regulated as a dangerous good</li></ul>	
14.4 Pack	ing group		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO IATA		<ul><li>Not regulated as a dangerous good</li><li>Not regulated as a dangerous good</li></ul>	
14.5 Envi	ronmental hazards		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	<b>;</b>	: Not regulated as a dangerous good	
14.6 Spec	ial precautions for us	er	
Rema	arks	: Special Precautions: Refer to Section 7, Handling & Storag for special precautions which a user needs to be aware of on needs to comply with in connection with transport.	

## 14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)

: Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	D
2.5	21.09.2022	800001007206	Р

Date of last issue: 03.03.2021 Print Date 27.09.2022

### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

### The components of this product are reported in the following inventories:

REACH	: Not established.
TSCA	: Notified with Restrictions.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: Other information**

H302 H314 H317 H361 H373	-	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.			
H410		Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.			
H413 : May cause long lasting harmful effects to aquatic life. Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Repr.	:	Reproductive toxicity			
Skin Corr.	:	Skin corrosion			
Skin Sens.	:	Skin sensitisation			

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

#### STOT RE

: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergencv Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrving Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Training advice	:	Provide adequate information, instruction and training for op- erators.
Other information	:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.
		A vertical bar ( ) in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala S4 WE 680

Version	Revision Date:	SDS Number:	Date of last issue: 03.03.2021
2.5	21.09.2022	800001007206	Print Date 27.09.2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN